



## CONVEYORIZED TARGET PEPPERONI SYSTEM

MODEL # P200 Series Dual Head

Utilizes two (2) independent target pepperoni heads per lane. USDA compliant construction. Multiple lane, continuous motion conveyor uses state of the art motor drive technology to precisely position the product under the target slicer. 10 in. wide, by 10 in. long, or 14 in. wide, by 14 in. long product slicing area, consistent slice thickness, accurate pepperoni placement and simple touch screen controls.

### SPECIFICATIONS

**PORTION AND APPLY:**

Pepperoni and other stick type meats and cheeses  
In a consistent pattern

**PRODUCT:**

Round, square, or rectangular  
Rigid or supported products or trays

**PRODUCTION RATE:**

Up to 80 pizzas per minute per lane

**SLICER TYPE::**

Horizontal band blade

**PORTION:**

.04 - .14 thick slices.

**PATTERNS:**

Standard patterns up to 20 slices  
Custom patterns available

**PRODUCT THICKNESS:**

Belt height is easily adjustable to allow products  
from 0.25 to 3.5 inches thick.

**DRIVE SYSTEM:**

Conveyor uses precision electric drive motors.  
Moving head uses a precision servo drive motor.

**BLADES:**

Multiple blade designs available to accurately  
slice any type of product

**ELECTRICAL:**


480 vac., 3 phase 30 amp circuit  
50-60 Hz.  
Stainless steel control enclosure.  
Other voltages are optional

**CONVEYOR:**

Stainless steel construction  
Continuous smooth welds.  
Washdown compatible

**OPERATOR INTERFACE:**

Touch screen Human Machine Interface provides user friendly, intuitive operation,  
including conveyor speed selection, rate indication, and system diagnostics.



Specifications subject to change without notice. Information contained in this document for reference use only.

QUANTUM TECHNICAL SERVICES, INC.  
9524 W GULFSTREAM ROAD FRANKFORT IL 60423 PHONE (888) 464-1540 FAX (815) 464-1541  
www.q-t-s.com